

**From:** [Winstone Aggregates Fill](#)  
**To:** [Andy Bunce](#)  
**Cc:** [Wheatsheaf Administrator \(GBC Winstone\) \(GBC Winstone\)](#); [Ben Jury \(Winstone Aggregates\)](#)  
**Subject:** [#DO39630] Global acceptance - Stage 6 Oakbridge lots 199 to 208  
**Date:** Tuesday, 28 October 2025 11:27:07 am

---

"Based on the information provided, this email is to confirm that soil from the above address is chemically suitable for disposal at Wheatsheaf, **Full acceptance information below, please read and ensure you understand acceptance terms.**

Please ensure truck drivers quote “ **Lot #, Stage 6 Oakbridge** ” when they arrive at the weighbridge."

|                     |                                                                                                                                                                                                                          |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Date                | 28/10/2025                                                                                                                                                                                                               |
| Account Name        | Global Acceptance                                                                                                                                                                                                        |
| Client Contact      | Andy Bunce <a href="mailto:andy@do.nz">andy@do.nz</a>                                                                                                                                                                    |
| Address             | Oakbridge Stage 6, Lots 199 to 208                                                                                                                                                                                       |
|                     | Marshlands                                                                                                                                                                                                               |
| Source <sup>1</sup> | Residential development                                                                                                                                                                                                  |
| Estimated Volume    | 500-1000m3                                                                                                                                                                                                               |
| Approval Status     | <u>Accepted</u>                                                                                                                                                                                                          |
|                     | <p>Surface soils from Lots 199 to 208 as characterised in supporting documents</p> <p>Should unexpected material be uncovered during the works, this material is not to be disposed of at Wheatsheaf until reviewed.</p> |

|                             |                                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             |                                                                                                                                                                                                                                                                                                                  |
| <b>Supporting Documents</b> | <p>DO, Topsoil investigation report – Stages 6-14 Oakbridge Subdivision, File No.: 39630, Sep 2025</p> <p>DO, Soil disposal suitability – Stage 6 Oakbridge Subdivision – Lots 199 To 208, File No.: 39630, Oct 2025</p>                                                                                         |
| <b>Notes</b>                | <p>Any 'mixed' loads containing inert materials (brick, asphalt, concrete) may be subject to levy.</p> <p>No non-compliant material to be brought to Wheatsheaf, such as (but not limited to) asbestos, steel, timber, plastic, green waste, general refuse, no more than 3% vegetative matter (grass, etc).</p> |

### **Important Notes:**

- 1 Please ensure that ONLY the soil as described in the supporting documentation is tipped at Wheatsheaf.** Should additional material require tipping, approval must be sought PRIOR to bringing any additional material to site. **Should unexpected material be uncovered during the works** which is contaminated or suspected to be contaminated **this material is not to be disposed of at Wheatsheaf until reviewed.**
- 2 Material must not contain anything that may present a risk to human or animal health** such as, but not limited to, medical waste, radioactive waste, asbestos or hazardous materials, Cables, carpet, containers, electrical insulation, household waste, wet paint, wet or dry lead-based paint, plastics, wet asphalt, contaminated soils, dredging spoil, laminated wood, treated wood, separated metals, tar and tyres, hydro excavated waste or more than 3% vegetation.
- 3 Assurance from the SQEP / contractor has been provided to demonstrate onsite management of material, that shall ensure only the material suitable for Wheatsheaf is deposited at the Quarry site.** Responsibility for ensuring that the characterised material as documented by the supporting information is the material deposited at Wheatsheaf lies with the author of the supporting document and the haulage contractor, with no liability held by Winstone Aggregates.

- 4 Should any unsuitable material be found at Wheatsheaf Quarry, full and immediate removal will be required, at the cost of the customer. Penalties apply.
- 5 **All customers must hold an active account with Winstone Aggregates** regardless of any approvals. Please ensure the haulage contractor contacts us early to arrange pre-approval.  
**No cash payments accepted.**
- 6 No trailer sales or light vehicles can enter the quarry

Many thanks,



**Abi Teasdale**  
Environmental Fill Specialist

|                          |                                                                                  |
|--------------------------|----------------------------------------------------------------------------------|
| <input type="checkbox"/> | <a href="mailto:fill@winstoneaggregates.co.nz">fill@winstoneaggregates.co.nz</a> |
| <input type="checkbox"/> | <a href="#">/winstone-aggregates</a>                                             |
| <input type="checkbox"/> | <a href="#">/WinstoneAggregatesNZ</a>                                            |
| <input type="checkbox"/> | <a href="#">Winstoneaggregates.co.nz</a>                                         |

The information contained in this document is confidential to the addressee and is not necessarily the view of the Company. If you are not the intended recipient, you must not peruse, use disseminate, distribute or copy this email attachments. If you have received this error, please notify us by return email. The Company does not guarantee the security or reliability of this email or any attachments.