Wheatsheaf Acceptance - Based on the information provided, this email is to confirm that soil from the above address is chemically suitable for disposal at Wheatsheaf Quarry, global acceptance below – **drivers will need to quote Oakbridge & the lot number** so that our weighbridge team can locate the acceptance.

Weighbridge team: please see updated Oakbridge acceptance map attached.

Date	19/10/2026
Account Name	**Global Acceptance**
Client Contact	Charlotte Stephen-Brownie <charlotte@do.nz>
Address	**Oakbridge Stage 7A&B (9th Release) - Lots 255-264 & 271-287**
	Marshlands
Source [1]	Residential development
Estimated Volume	**n/a**
Approval Status	**Accepted**
	Surface soils from Lots 255-264 & 271-287 as characterised in supporting documents **Should unexpected material be uncovered during the works, this material is not to be disposed of at Wheatsheaf until reviewed.**
Supporting Documents	See CF folder 645
Notes	Any 'mixed' loads containing inert materials (brick, asphalt, concrete) may be subject to levy. No non-compliant material to be brought to Wheatsheaf, such as (but not limited to) asbestos, steel, timer, plastic, green waste, general refuse, no more than 3% vegetative matter (grass, etc).

Important Notes:

1 **Please ensure that ONLY the soil as described in the supporting documentation is tipped at Wheatsheaf.** Should additional material require tipping, approval must be sought PRIOR to bringing any additional material to site. **Should unexpected material be uncovered during the works** which is contaminated or suspected to be contaminated **this material is not to be disposed of at Wheatsheaf until reviewed.**

2 **Material must not contain anything that may present a risk to human or animal health** such as, but not limited to, medical waste, radioactive waste, asbestos or hazardous materials, Cables, carpet, containers, electrical insulation, household waste, wet paint, wet or dry lead-based paint, plastics, wet asphalt, contaminated soils, dredging spoil, laminated wood, treated wood, separated metals, tar and tyres, hydro excavated waste or more than 2% vegetation.

3 Assurance from the SQEP / contractor has been provided to demonstrate onsite management of material, that shall **ensure only the material suitable for Wheatsheaf is deposited at the Quarry site**. Responsibility for ensuring that the characterised material as documented by the supporting information is the material deposited at Wheatsheaf lies with the author of the supporting document and the haulage contractor, with no liability held by Winstone Aggregates.

4 Should any unsuitable material be found at Wheatsheaf Quarry, full and immediate removal will be required, at the cost of the customer. Penalties apply.

5 **All customers must hold an active account with Winstone Aggregates** regardless of any approvals. Please ensure the haulage contractor contacts us early to arrange pre-approval. **No cash payments accepted.**

6 No trailer sales or light vehicles can enter the quarry

Abi Teasdale

Environmental Fill Specialist

fill@winstoneaggregates.co.nz

/winstone-aggregates

/WinstoneAggregatesNZ

Winstoneaggregates.co.nz

Oakbridge Subdivision – 9th Release

Oakbridge Subdivision. **Stages 3-6, 7a&b, 10a & 13 accepted for disposal at WS**

